## AMENDMENT TO THE CLAIMS:

The following claim set replaces all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) Process for manufacturing a laminate, which at least comprises the application of a layer of polyamide to a substrate, which as polyamide mainly branched polyamide is sued that is at least composed of units derived from:
  - AB monomers, which are understood to mean a monomer that has both a а carboxylic acid group (A) and an amine group (B).
  - b. at least one compound I, being a carboxylic acid (A<sub>v</sub>) with functionality v≥2 or an amine (B<sub>w</sub>) with functionality w≥2.
  - C. at least one compound II, being a carboxylic acid (A<sub>v</sub>) with functionality v≥3 or an amine (B<sub>w</sub>) with functionality w≥3, with compound II being a carboxylic acid if compound I is an amine or with compound II being an amine if compound I is a carboxylic acid, wherein the quantities of units. derived from all the carboxylic acids and amines in the polyamide, satisfy formula 1

$$P < 1 / [(F_{A}-1)\cdot (F_{B}-1)]$$
 (1)

in which

$$P = \left[\sum (\eta_i \cdot f_i)\right] \times / \left[\sum (\eta_i \cdot f_i)\right] y \tag{2}$$

$$P = \left[\sum (n_i \cdot f_i)\right] \times / \left[\sum (n_i \cdot f_i)\right]$$
 (2)

In which P≤1 and either X=A and Y=B, or X-B and Y=A and

$$F = \sum (n_i \cdot f_i^2) 1 / \sum n_i \cdot f_i$$
 (3)

DE KROON ET AL Serial No. 10/520,704 April 22, 2008

$$F = \sum (\mathbf{n}_i \cdot \mathbf{f}_i^2) ] / \sum (\mathbf{n}_i \cdot \mathbf{f}_i)$$
 (3)

for respectively all carboxylic acids  $(F_A)$  and amines  $(F_B)$  wherein  $f_i$  is the functionality of a carboxylic acid  $(v_i)$  or amine  $(w_i)$ ,  $[[\eta_i]]$   $\underline{n}_i$  is the number of moles of a carboxylic acid or amine and the summation is carried out over all units derived from carboxylic acids and amines in the polyamide.

- (Original) Process according to claim 1, in which the layer of polyamide is applied by extrusion coating.
- (Previously Presented) Process according to claim 1, in which the substrate is a metal or is paper or paperboard, optionally coated with a layer of a metal foil.
- (Original) Laminate comprising a substrate and a layer consisting mainly of a branched polyamide that is at least composed of units derived from:
  - AB monomers, which are understood to mean a monomer that has both a carboxylic acid group (A) and an amine group (B),
  - at least one compound I, being a carboxylic acid (A<sub>v</sub>) with functionality v≥2 or an amine (B<sub>w</sub>) with functionality w≥2.
  - c. at least one compound II, being a carboxylic acid (A<sub>v</sub>) with functionality v≥3 or an amine (B<sub>w</sub>) with functionality w≥3, with compound II being a carboxylic acid if compound I is an amine or with compound II being an amine if compound I is a carboxylic acid, wherein the quantities of units, derived from all the carboxylic acids and amines in the polyamide, satisfy formula 1

$$P < 1 / [(F_A-1) \cdot (F_B-1)]$$
 (1)

in which

$$P = \left[ \sum (n_i \cdot f_i) \right] \times / \left[ \sum (n_i \cdot f_i) \right]$$
 (2)

DE KROON ET AL Serial No. 10/520,704 April 22, 2008

$$P = \left[ \sum (n_i \cdot f_i) \right] \times / \left[ \sum (n_i \cdot f_i) \right]$$
 (2)

In which P≤1 and either X=A and Y=B, or X-B and Y=A and

$$F = \sum (\eta_i \cdot f_i^2) ] / \sum (\eta_i \cdot f_i)$$

$$F = \sum (\eta_i \cdot f_i^2) ] / \sum (\eta_i \cdot f_i)$$
(3)

for respectively all carboxylic acids  $(F_A)$  and amines  $(F_B)$  wherein  $f_i$  is the functionality of a carboxylic acid  $(v_i)$  or amine  $(w_i)$ ,  $[[n_i]]$   $\underline{n}_i$  is the number of moles of a carboxylic acid or amine and the summation is carried out over all units derived from carboxylic acids and amines in the polyamide.

- (Canceled)
- 6. (Original) Packaging for foodstuffs, comprising the laminate according to claim 4.
- (Currently Amended) Process according to claim 2, in which the substrate [[,]] is a metal or is paper or paperboard, optionally coated with a layer of metal foil.
- (Previously Presented) Process for packaging foodstuffs with comprises providing a laminate according to claim 4, and packaging said foodstuffs therein.
- (Previously Presented) A packaged foodstuff comprising a wrapper comprising the laminate according to claim 4, and a foodstuff packaged within said wrapper.